


WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6:		(11) International Publication Number: WO 99/01192
A63F 9/22	A1	(43) International Publication Date: 14 January 1999 (14.01.99)
(21) International Application Number: PCT/US	(74) Agent: SNOW, Jeffrey, L.; Fish & Richardson P.C., 225 Franklin Street, Boston, MA 02110-2804 (US).	
(22) International Filing Date: 25 June 1998	(25.06.9	98)
		(81) Designated States: AU, CA, GB, US.
(30) Priority Data:		
08/886,193 1 July 1997 (01.07.97) 09/038,184 10 March 1998 (10.03.98)		US Published
09/038,184 10 March 1998 (10.03.98)		With international search report.
(63) Related by Continuation (CON) or Continuation- (CIP) to Earlier Applications		
US 08/886		
Filed on 1 July 1997 US 09/038		
Filed on 10 March 1998		
(71) Applicant (for all designated States except US): SENSE CORPORATION [US/US]; Suite 300, 1 Federal Highway, Delray Beach, FL 33483 (US).	801 So	SE auth
(72) Inventor: and		
(75) Inventor/Applicant (for US only): CHERRY, Eric 2525 South Ocean Boulevard, Highland Beach, (US).		
		**
(54) Title: WAGERING GAME BASED ON RANKING	G ORD	ER OF GAME PARTICIPANTS
		GAME NUMBER 40
		GAME HOMBER
		WAGERING ALTHORITY 650
		WAGERING AUTHORITY 60



(57) Abstract

A wagering game for play by a player includes a set of game participants (21–28), an identification number assigned to each of the game participants, and a game number (40). The player places a wager relating to the game number (40) and a making order of the game participants (21–28) is determined, such as by a race to a finishing point (30). The sum of the identification numbers of a subset of the game participants (21–28) may be calculated. The number of lengths by which a first ordered game participant heats another ordered game participant to the finishing point (30) may also be calculated. Whether the player's wager is a winning wager is determined by comparing the sum or the number of lengths to the game number (40). The wagering game may be implemented as an electronic game.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slov
AM	Armenia	FI	Pinland	LT	Lithuania	SK	Slov
AT	Austria	FR	France	LU	Laxemboure	SN	Sene
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swa
AZ	Azerbaijan	GB	United Kingdom	MC	Monneo	TD	Char
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togg
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Тајій
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turk
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turk
BG	Bolgaria	HU	Hungary	ML	Mali	TT	Trini
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukn
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uga
BY	Belarus	IS	Iceland	MW	Malawi	US	Unit
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzb
CF	Central African Republic	JP	Japan	NB	Niger	VN	Viet
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yug
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zim
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liochtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE.	Sweden		
20							

WO 99/01192 PCT/US98/13282

WAGERING GAME BASED ON RANKING ORDER OF GAME PARTICIPANTS

This is a continuation-in-part of application Serial No. 08/886,193, filed July 1, 1997.

Background of the Invention

This invention relates to a wagering game, and in particular, a game in which wagers are placed with respect to a ranking order of game participants such as in a race.

A typical horserace includes, e.g., eight racing horses. Each horse is assigned a post number, e.g., 1 through 8. The horses race against each other to cross a finish line.

Game players place wagers that a particular race 15 horse or a combination of race horses will finish the race in a particular order, e.g., first, second and third place. Bets are usually placed on the horses according to their post numbers. One standard bet involves quessing which three horses will cross the finish line 20 first, second and third, respectively.

Summary of the Invention

In general, in one aspect, the invention features a method of playing a wagering game by a player. A set of game participants is selected. An identification 25 number is assigned to each of the game participants, and a game number is selected. The player places a wager based on the game number, and a ranking order of the game participants is determined. The sum of the identification numbers of a subset of the game 30 participants is calculated, the subset of game participants having a predetermined number of game participants selected on the basis of the ranking order of the game participants. Whether the player's wager is a winning wager is determined by comparing the sum to the 35 game number.

WO 99/01192 PCT/US98/13282

- 2

Implementations of the invention may include one or more of the following features. A payout may be provided for a winning wager. The payout may be determined on a parimutuel basis or may be based on 5 predetermined odds. The player may guess the ranking order of the game participants to place the wager.

The ranking order may be determined by a race.

The race may be a horserace, the game participants may be racing horses, and the identification numbers may be post numbers of the racing horses. The ranking order may be determined by a series of sporting events and the game participants may be sports teams.

The wager may be that the sum is equal to, less than, or greater than the game number. The predetermined is number may be three. The game number may be selected by a wagering authority.

In general, in another aspect, the invention features a method of playing a wagering horserace game by a player. A set of racing horses is selected. A post number is assigned to each of the racing horses, and a game number is selected. The player places a wager based on the game number, and a finishing order of the racing horses is determined by a horserace. The sum of the post numbers of the first three racing horses to finish the some parace is calculated. Whether the player's wager is a winning wager is determined by comparing the sum to the game number. A payout is provided for a winning wager.

In general, in another aspect, the invention features an electronic gaming device for playing a so wagering game by a player. A screen displays a game number and a set of game participants, each game participant being assigned an identification number. A processor determines a ranking order of the game participants and calculates the sum of the identification numbers of a subset of the game participants, the subset

of game participants comprising a predetermined number of game participants selected on the basis of the ranking order. The player places a wager based on the game number, and the player's wager is determined to be a swinning wager by comparing the sum to the game number.

Implementations of the invention may include one or more of the following features. The processor may calculate a payout to the player for a winning wager and provide the payout. The payout may be determined on a 10 parimutuel basis or may be based on predetermined odds. The player may guess the ranking order of the game participants to place the wager.

The ranking order may be determined by a race.

The wager may be that the sum is equal to, less than, or
greater than the game number.

In general, in one aspect, the invention features a method of presenting one or more wagering games for play by a plurality of players. A set of game participants is selected, and an identification number is 20 assigned to each of the game participants. A game number is selected, and each of the plurality of players places a wager relating to the game number, the sum of the wagers of the plurality of players being used to determine a total prize amount. A ranking order of the 25 game participants is determined, and a sum of the identification numbers of a subset of the game participants selected on the basis of the ranking order of the game participants is calculated. Whether the wager of each of the plurality of players is a winning 30 wager is determined by comparing the sum to the game number, and a payout for each winning player is determined based on the total prize amount, including having a progressive jackpot such that a portion of the total prize amount of a first game is added to wagers

_ 4

made during a second subsequent game to determine a total prize amount for the second game.

Implementations of the invention may include one or more of the following features. The subset may include at least two of the game participants. The payout may be determined on a parimutuel basis or based on predetermined odds.

The ranking order may be determined by a race.

The wager may be that the sum is equal to, less than, or
ogreater than the came number.

In general, in another aspect, the invention features a method of presenting a wagering game for play by a player. A set of game participants is selected to be ordered according to the finishing order of the participants with respect to a finishing point. A game number is selected, and the player places a wager relating to the game number. The finishing order of the game participants and the number of lengths by which a first ordered game participant beats at least one other ordered game participant to the finishing point are determined. Whether the player's wager is a winning wager is determined based on a comparison between the game number and the number of lengths.

Implementations of the invention may include one 25 or more of the following features. The at least one other ordered game participant may be a second game participant to reach the finishing point.

The method may include providing a payout for a winning wager. The payout may be determined on a parimutuel basis or based on predetermined odds. The game may be played with a progressive jackpot such that a portion of a sum of wagers made during a first game is added to a sum of wagers made during a second subsequent game.

WO 99/01192

The finishing order may be determined by a race. The wager may be that the number of lengths is equal to, less than, or greater than the game number.

In general, in another aspect, the invention 5 features an electronic gaming device for playing a wagering game by a player. A display device displays a game number and a set of game participants. An input device allows the player to place a wager relating to the game number. A processor connected to the display device 10 and the input device determines a finishing order of the game participants and a number of lengths by which a first ordered game participant beats at least one other ordered game participant to the finishing point. The processor determines whether the wager is a winning wager 15 by comparing the number of lengths to the game number.

Implementations of the invention may include one or more of the following features. The display device may include a screen, and the input device may include buttons or a touch sensitive screen. The gaming device 20 may be connected to other gaming devices for parimutuel wagering.

The processor may calculate a payout to the player for a winning wager and provide the payout. The payout may be determined on a parimutuel basis or based on 25 predetermined odds. The payout calculated by the processor may include a progressive jackpot such that a portion of a sum of wagers made during a first game is added to a sum of wagers made during a second subsequent game.

The finishing order may be determined by a race. The wager may be that the number of lengths is equal to, less than, or greater than the game number.

30

The wagering game of the present invention has the advantage that it is a simple game that can be played 35 along with other standard wagering games.

ė.

The wagering game of the present invention has the further advantage of allowing players to place wagers on combinations of known probabilistic events.

Other features and advantages of the invention s will become apparent from the following detailed description, and from the claims.

Brief Description of the Drawings

Fig. 1 shows a horserace wagering game according to the present invention.

Fig. 2 is a flow chart showing a method of playing the wagering game of the present invention.

Fig. 3 is a somewhat diagrammatic sketch of an electronic gaming machine for playing the wagering game of the present invention.

Fig. 4 is a flow chart showing another method of playing the wagering game of the present invention.

<u>Description of the Preferred Embodiments</u>

The wagering game of the present invention involves, e.g., the game players placing wagers with 20 respect to the post numbers of the racing horses.

As shown in Fig. 1, game 10 includes game participants 21-28. Participants 21-28 compete against each other to reach a finishing point 30. In the example described herein, the game participants 21-28 are racing 25 horses racing against each other to cross a finish line 30.

The first game participant to reach finishing point 30 beats each of the other participants which subsequently reach finishing point 30 by a number of 30 "lengths." The lengths may be based on the physical dimensions, i.e. lengths, of the game participants. For example, the first racing horse to cross finish line 30 may beat the second racing horse to finish line 30 by a particular number of horselengths. The number of lengths 35 may be recorded for each game participant in each game.

WO 99/01192 PCT/US98/13282

7 -

Each of game participants 21-28 is assigned an identification number. For example, race horses 21-28 are assigned identification numbers in the form of post numbers 1-8, respectively.

The wagering game of the present invention also includes choosing a game number 40. Game number 40 is a number chosen artificially, e.g., based on a statistical analysis of the probabilistic outcomes of the game being played. In particular, game number 40 may be chosen with respect to the identification numbers of the game participants and the likely ranking order of the game participants in reaching the finishing point 30. The game number 40 may be different for every race.

The game players place wagers with a wagering
15 authority 50 concerning the mathematical relationship of
the identification numbers 1-8 of the participants 21-28
to the game number 40. In a preferred embodiment, the
game players place wagers that the sum of the
identification numbers of the first three game
20 participants to reach the finishing point 30 will be
greater than, less than, or equal to the game number 40.
Payouts may be provided for winning wagers by wagering
authority 50.

For example, prior to the start of a horserace,
when players may place wagers, a game number, e.g. 15, is
chosen by the wagering authority 50. Players guess the
finishing order of the racing horses, each of which is
assigned a post number from 1 through 8. Each player
then adds the post numbers of the three racing horses
that he believes will be the first, second and third
horses to cross the finish line 30 during the race. If
the player guesses that racing horses 22, 25 and 27 will
be the first three racing horses to cross finish line 30,
the sum of the post numbers for these horses is 2 + 5 + 7
35 = 14. Thus, the player may wish to place a wader that

WO 99/01192 PCT/US98/13282

the sum of the post numbers of the first three horses to cross the finish line during the race will be less than the game number, since 14 is less than 15.

In this example, if horses 22, 25 and 27 are the 5 first three horses to cross the finish line, then the player's wager that the sum of the post numbers of the first three horses to cross the finish line will be less than 15 is a winning wager. If horses 21, 25 and 27 are the first three horses to cross the finish line, then the 10 player's wager that the sum of the post numbers (1 + 5 + 7 = 13) of the first three horses to cross the finish line will be less than 15 is still a winning wager. However, if horses 25, 26 and 27 are the first three horses to cross the finish line, then the player's wager 15 that the sum of the post numbers (5 + 6 + 7 = 18) of the first three horses to cross the finish line will be less than 15 is not a winning wager.

An additional wager that may be used with the wagering game of the present invention involves each 20 player placing a wager with respect to a game number 42 chosen by the wagering authority and guessing by how many lengths the first game participant to reach finishing point 30 will beat the second game participant which reaches finishing point 30. The game number 42, which is 25 chosen prior to start of each wagering game, may be different for every game and may be chosen based on the likely number of lengths by which the winning game participant will win the race. For example, to use such a wager to play the game, a player places a wager based 30 on the number of horselengths by which the first racing horse to reach the finish line will beat the second racing horse which reaches the finish line, such as whether that number of horselengths is greater than, less than or equal to game number 42.

Another similar wager involves each player placing a wager with respect to a game number 44 chosen by the wagering authority and quessing the difference between the number of lengths by which any two game participants s are beaten to finishing point 30 by the first game participant to reach finishing point 30. The game number 44, which is chosen prior to start of each wagering game, may be different for every game and may be chosen based on the likely number of lengths by which the winning game 10 participant will beat each of the other game participants to finishing point 30. The number of lengths by which a particular game participant is beaten to the finish line by the winning participant may be termed that game participant's "score." For example, to use such a wager 15 to play the game, a player places a wager based on the difference of the scores between any two game participants, such as the second and third place finishing horses, such as whether that difference is greater than, less than or equal to game number 44.

Payouts to winning players may be determined on a parimutuel basis. A parimutuel wagering scheme includes a betting pool in which players who bet on game participants finishing in the first predetermined number of places share the total amount bet by all players, 25 minus a percentage retained by the wagering authority. Such a scheme allows payouts to winning players to change throughout the period of time when wagers may be placed, while the players are placing their wagers. The payout to players' who place winning wagers depends on the number 30 of players that place winning wagers and the number of players that place non-winning wagers.

20

In such a parimutuel wagering scheme, players may be apprised of the changing payouts for the various possible wagers throughout the period of time when wagers 35 may be placed. In particular, the payout to a player for

a winning wager may be determined at the time the wager is placed. Accordingly, payouts will be higher for wagers that are chosen by fewer players than those chosen by the other remaining players. Thus, players are sencouraged to place wagers on the less popular wagers that provide higher payouts. Such a scheme tends to stabilize the payout to players that place winning wagers because the players' wagers are more evenly distributed among the possible wagers.

10 Alternately, payouts to winning players may be
. based on predetermined odds that do not change during the period of time when wagers may be placed.

In a preferred embodiment, the wagering game of the present invention is played with a progressive 15 jackpot. For a progressive jackpot, at least a portion of the wagers paid in one game is carried over to the next consecutive game played to be added to the wagers made in the next game to increase the total prize payable to the winning players of the next game. For example, if 20 there is no winner of a game, a portion of the sum of all wagers placed may be added to the wagers placed in the next consecutive game to increase the total prize money available to winning players of the next game, until a final game is played. With a progressive jackpot scheme, 25 the total prize payable to winning players has the potential to increase substantially with each consecutive game played in a series of games, increasing the players' interest in the game.

The wagering game of the present invention may be
applied to any order-dependent participation game such as
a racing game, or any ranking scheme including a series
of sporting events for sports teams such as football,
soccer and basketball games.

Fig. 2 shows a method 100 of playing the wagering 35 game of the present invention. A set of game

- 11 -

participants, such as racing horses or sports teams, is selected (step 102). Each of the game participants is assigned an identification number (step 104).

The wagering authority selects a game number 40 s (step 106). Each player guesses what the ranking order will be for the game participants, e.g. for the racing horses or sports teams after the horserace or series of sporting events (step 108). Each player then places a wager based on the game number and the sum of the

identification numbers of the game participants for a group of the game participants based on the player's quess as to the ranking order (step 110).

The ranking order of the game participants is then determined, e.g., by a horse race or a series of sporting sevents (step 112). The wagering authority calculates the sum of the identification numbers of a subset of the game participants based on the ranking order (step 114). For example, the subset may consist of the first three horses to win a horserace or the top three sports teams in a particular league. The wagering authority also

determines whether the wagers placed are winning wagers by comparing the sum of the identification numbers of the subset of game participants to the game number, e.g., the sum may be greater than, less than or equal to the game

25 number (step 116). Finally, the wagering authority calculates the payouts, e.g. on a parimutuel basis (step 118), and provides payouts for winning wagers (step 120). In addition, if the game is played with a

progressive jackpot, some portion of the total wagers placed is carried over to the next game in a series of such wagering games to increase the total prize money from which payouts to winning players are made (step 122), until a final game is played.

Fig. 4 shows another method 400 of playing the 35 wagering game of the present invention. A set of game

WO 99/01192 - 12 -

participants, such a racing horses, is selected (step 402). The wagering authority selects a game number 42 or 44 (step 404). In one type of game, each player places a wager and guesses whether the number of horselengths by 5 which the winning horse will win the game is greater than, less than, or equal to game number 42 (step 406). In another type of game, each player places a wager and quesses whether the difference in the "scores" of two particular racing horses, e.g., the number of 10 horselengths by which the second and third place horses are beaten to the finishing point by the first place racing horse, is greater than, less than, or equal to a game number 44 (step 408).

The number of horselengths by which the winning 15 horse wins the game is then determined and the scores for each of the racing horses are determined, e.g., by conducting a horse race (step 410). The wagering authority determines whether the wagers placed by the individual players are winners (step 412), calculates the 20 payouts (step 414), and provides payouts for winning wagers (step 416).

The wagering game of the present invention may be implemented as an electronic video or computer game to be played in a casino or other gaming establishment or even 25 in a remote location, such as a player's home. The game may also be played via an electronic communications network, e.g., the internet.

As shown in Fig. 3, the electronic game may include a processor 210 in a game machine 200. 30 player views a screen 220 showing the game participants as identified by their identification numbers and the game number.

A player may play the wagering game of the present invention at game machine 200 by inserting a 35 predetermined amount of money into a coin slot 230 or a

PCT/US98/13282

WO 99/01192 - 13 -

bill collecting device 240. Once the predetermined amount of money has been inserted, the game commences and is displayed to the player on screen 220.

Before processor 210 causes the game participants s to participate in an activity that determines their ranking order, such as a race, the player places a wager by pressing buttons 250 on a console 260 of game machine 200, or by touching a touch-sensitive screen 220. Processor 210 then conducts the ranking-order activity, 10 and calculates the sum of the identification numbers of a subset, e.g. three, of the game participants selected on the basis of the ranking-order activity. Processor 210 may also determine whether the player's wager is a

winning wager by comparing the sum to the game number.

15

In an alternative embodiment, processor 210 conducts the ranking-order activity and determines the length by which the first game participant reaches the finishing point before the second game participant and the scores for each of the game participants. Processor 20 210 then may also determine whether the player's wager is a winning wager by comparing the game number to the first game participant's winning length or the difference between the scores of any two other game participants. If the player at game machine 200 has placed a

25 winning wager, processor 210 may calculate the payout. The game machine 200 may either dispense the payout to the player through a payout dispenser 270 or credit an account maintained by processor 210 against which the player may play further games on game machine 200. 30 Payouts determined on a parimutuel basis are possible when multiple players play the same game at similar game machines in communication with game machine 200. Communications between game machines may be accomplished, e.g., using a modem 290 in each game machine 200 that may 35 transmit data over the public telephone network.

WO 99/01192 PCT/US98/13282

14 -

Other embodiments are within the scope of the following claims.

20

- 15 -

What is claimed is:

 A method of playing a wagering game by a player, comprising:

selecting a set of game participants;
 assigning an identification number to each of the
game participants;

selecting a game number;

the player placing a wager based on the game number:

10 determining a ranking order of the game participants;

calculating the sum of the identification numbers of a subset of the game participants, the subset of game participants comprising a predetermined number of game 15 participants selected on the basis of the ranking order of the game participants; and

determining whether the player's wager is a winning wager by comparing the sum to the game number.

- The method of claim 1 further comprising providing a payout for a winning wager.
- 3. The method of claim 2 wherein the payout is determined on a parimutuel basis.
- 4. The method of claim 2 wherein the payout is based on predetermined odds.
- 5. The method of claim 1 further comprising the player guessing the ranking order of the game participants to place the wager.
 - The method of claim 1 wherein the ranking order is determined by a race.

- 16

- The method of claim 6 wherein the race is a horserace, the game participants are racing horses, and identification numbers are post numbers of the racing horses.
- 8. The method of claim 1 wherein the ranking order is determined by a series of sporting events and the game participants are sports teams.
 - 9. The method of claim 1 wherein the wager is that the sum is equal to the game number.
- 10. The method of claim 1 wherein the wager is that the sum is less than the game number.
 - 11. The method of claim 1 wherein the wager is that the sum is greater than the game number.
- 12. The method of claim 1 wherein the 15 predetermined number is three.
 - 13. The method of claim 1 wherein the game number is selected by a wagering authority.

- 17 -

14. A method of playing a wagering horserace game by a player, comprising:

selecting a set of racing horses;
assigning a post number to each of the racing

5 horses:

15 and

selecting a game number;

by the player, placing a wager based on the game number:

determining a finishing order of the racing horses to by a horserace;

calculating the sum of the post numbers of the first three racing horses to finish the horserace; determining whether the player's wager is a winning wager by comparing the sum to the game number;

providing a payout for a winning wager.

15. An electronic gaming device for playing a wagering game by a player, comprising:

a screen displaying a game number and a set of 20 game participants, each game participant being assigned an identification number;

an input device by which the player places a wager relating to the game number;

a processor connected to the screen and the input
device for determining a ranking order of the game
participants and calculating the sum of the
identification numbers of a subset of the game
participants, the subset of game participants comprising
a predetermined number of game participants selected on
the basis of the ranking order; and

wherein the processor determines whether the wager is a winning wager by comparing the sum to the game number.

- 16. The electronic gaming device according to claim 15 wherein the processor calculates a payout to the player for a winning wager and provides the payout.
- 17. The electronic gaming device according to 5 claim 16 wherein the payout is determined on a parimutuel basis.
 - 18. The electronic gaming device according to claim 16 wherein the payout is based on predetermined odds.
- 19. The electronic gaming device according to claim 15 wherein the player guesses the ranking order of the game participants to place the wager.
- 20. The electronic gaming device according to claim 15 wherein the ranking order is determined by a 15 race.
 - 21. The electronic gaming device according to claim 15 wherein the wager is that the sum is equal to the game number.
- 22. The electronic gaming device according to 20 claim 15 wherein the wager is that the sum is less than the game number.
 - 23. The electronic gaming device according to claim 15 wherein the wager is that the sum is greater than the game number.
- 25 24. The electronic gaming device according to claim 15 wherein the input device comprises buttons.

- 19 -

- 25. The electronic gaming device according to claim 15 wherein the input device comprises a touch sensitive screen.
- 26. The electronic gaming device according to 5 claim 15 wherein the gaming device is connected to other qaming devices for parimutual wagering.
 - 27. A method of presenting a wagering game for play by a player, comprising:

selecting a set of game participants;

assigning an identification number to each of the game participants;

selecting a game number;

the player placing a wager relating to the game number:

15 determining a ranking order of the game participants;

calculating the sum of the identification numbers of a subset of the game participants selected on the basis of the ranking order of the game participants; and determining whether the player's wager is a winning wager by comparing the sum to the game number.

28. The method of claim 27 wherein the subset includes at least two of the game participants.

29. A wagering game method for use by one or more players, comprising:

presenting a set of game participants each having a predetermined identification number;

presenting a game number;

inviting one or more players to place a wager relating to the game number:

calculating a sum of the identification numbers of a subset of the game participants selected on the basis 10 of a ranking order of the game participants; and

determining whether any wager is a winning wager by comparing the game number to the sum.

30. The method of claim 29 further comprising providing a payout for a winning wager.

31. A method of presenting one or more wagering games for play by a plurality of players, comprising: selecting a set of game participants; assigning an identification number to each of the

assigning an identification number to each of the game participants;

selecting a game number;

each of the plurality of players placing a wager relating to the game number, the sum of the wagers of the plurality of players being used to determine a total 10 prize amount:

determining a ranking order of the game participants:

calculating the sum of the identification numbers of a subset of the game participants selected on the 15 basis of the ranking order of the game participants; determining whether the wager of each of the plurality of players is a winning wager by comparing the sum to the game number; and

determining a payout for each winning player based on the total prize amount, including having a progressive jackpot such that a portion of the total prize amount of a first game is added to wagers made during a second subsequent game to determine a total prize amount for the second game.

- 32. The method of claim 31 wherein the subset includes at least two of the game participants.
 - 33. The method of claim 31 wherein the payout is determined on a parimutuel basis.
- \$34.\$ The method of claim 31 wherein the payout is $$_{\rm 30}$$ based on predetermined odds.

- 35. The method of claim 31 wherein the ranking order is determined by a race.
- 36. The method of claim 31 wherein the wager is that the sum is equal to the game number.
- 37. The method of claim 31 wherein the wager is that the sum is less than the game number.
 - 38. The method of claim 31 wherein the wager is that the sum is greater than the game number.
- 39. A method of presenting a wagering game for 10 play by a player, comprising:

selecting a set of game participants to be ordered according to the finishing order of the participants with respect to a finishing point;

selecting a game number;

15 the player placing a wager relating to the game number;

determining the finishing order of the game participants;

determining a number of lengths by which a first
ordered game participant beats at least one other ordered
game participant to the finishing point;

determining whether the player's wager is a winning wager based on a comparison between the game number and the number of lengths.

- 25 40. The method of claim 39 wherein the at least one other ordered game participant is a second game participant to reach the finishing point.
 - 41. The method of claim 39 further comprising providing a payout for a winning wager.

- 42. The method of claim 41 wherein the payout is determined on a parimutuel basis.
- 43. The method of claim 41 wherein the payout is based on predetermined odds.
- 44. The method of claim 41 wherein the game is played with a progressive jackpot such that a portion of a sum of wagers made during a first game is added to a sum of wagers made during a second subsequent game.
- 45. The method of claim 39 wherein the finishing 10 order is determined by a race.
 - 46. The method of claim 39 wherein the wager is that the number of lengths is equal to the game number.
 - 47. The method of claim 39 wherein the wager is that the number of lengths is less than the game number.
- 15 48. The method of claim 39 wherein the wager is that the number of lengths is greater than the game number.

- 49. An electronic gaming device for playing a wagering game by a player, comprising:
- a display device displaying a game number and a set of game participants;
- an input device by which the player places a wager relating to the game number; and
- a processor connected to the display device and the input device for determining a finishing order of the game participants and a number of lengths by which a
- first ordered game participant beats at least one other ordered game participant to the finishing point;

wherein the processor determines whether the wager is a winning wager by comparing the number of lengths to the game number.

- 15 50. The electronic gaming device of claim 49 wherein the display device comprises a screen.
 - 51. The electronic gaming device of claim 49 wherein the input device comprises buttons.
- 52. The electronic gaming device of claim 49
 20 wherein the input device comprises a touch sensitive
 - 53. The electronic gaming device of claim 49 wherein the gaming device is connected to other gaming devices for parimutual wagering.
- 25 54. The electronic gaming device of claim 49 wherein the processor calculates a payout to the player for a winning wager and provides the payout.
 - 55. The electronic gaming device of claim 54 wherein the payout is determined on a parimutuel basis.

WO 99/01192 PCT/US98/13282

- 25 -

- 56. The electronic gaming device of claim 54 wherein the payout is based on predetermined odds.
- 57. The electronic gaming device of claim 54 wherein the payout calculated by the processor includes a 5 progressive jackpot such that a portion of a sum of wagers made during a first game is added to a sum of wagers made during a second subsequent game.
 - 58. The electronic gaming device of claim 49 wherein the finishing order is determined by a race.
 - 59. The electronic gaming device of claim 49 wherein the wager is that the number of lengths is equal to the game number.
- 60. The electronic gaming device of claim 49 wherein the wager is that the number of lengths is less 1s than the game number.
 - 61. The electronic gaming device of claim 49 wherein the wager is that the number of lengths is greater than the game number.





FIG. 1






FIGURE 3




FIG. 4

INTERNATIONAL SEARCH REPORT

International application No. PCT/US98/13282

	SIFICATION OF SUBJECT MATTER A63F 9/22		
US CL. 19	463/16	at and the district and the	
	International Patent Classification (IPC) or to both n	ational classification and IPC	
	comentation searched (classification system followed	by classification symbols)	
	63/16, 1, 6, 20, 25, 28; 273/139, 143R, 237, 256		
D	ion searched other than minimum documentation to the	stent that such documents are included	in the fields searched
Documentati	on serience outer than inflament occumentation of the		
Electronie d	ata base consulted during the international search (nam	ne of data base and, where practicable	, scaren ternis used)
C. DOC	UMENTS CONSIDERED TO BE RELEVANT		
	Citation of document, with indication, where app	mariete of the relevant passages	Relevant to claim No.
Category*			
Α	US 4,373,723 A (BROWN et al.) document.	15 February 1983 whole	1-61
Α.	US 4,962,950 A (CHAMPION) 16 Octo	1-61	
A	US 5,374,060 A (GOLDBERG) 20 document.	1-61	
A	US 5,411,258 A (WILSON et al) 02 M	1-61	
A	US 5,564,701 A (DETTOR) 15 October	1-61	
A	US 5,564,977 A (ALGIE) 15 October	1-61	
	131		
			·
Furt	her documents are listed in the continuation of Box C		· · · · · · · · · · · · · · · · · · ·
	pecial entegories of cited documents.	"I" later document published after the in date and not in conflict with the app	diention but exted to understand
·	countent defining the general state of the art which is not considered be of particular relevance	"X" document of perticular relevence.	he eleimed invention cannot be
a	arlier document published on or after the international filing date ocument which may throw doubts on priority claim(s) or which is	considered novel or cannot be considered novel or cannot be considered novel or cannot be seen alone	ered to involve an inventive step
	ited to establish the publication date of another citation or other pecial reason (as specified)	"Y" document of particular relevance; t considered to involve an inventiv	e step when the document is
.0. 9	ocument referring to an oral disclosure, use, exhibition or other neets	combined with one or more other su being obvious to a person skilled in	ch documents, such combination the are
P d	ocument published prior to the international filing date but later than he priority date claimed	"&" document member of the same pate	
	e actual completion of the international search	Date of mailing of the international s	earch report
27 AUG	UST 1998	25 SEP 1998	La co
Box PCT	mailing address of the ISA/US ioner of Patents and Trademarks	Authorized officer MICHAEL O'NEILL	Sheila Veney
Washingt	on, D.C. 20231 No. (703) 305-3230	Telephone No. (703) 308-1148	inology Center 3700
1 · acounite	(, 505 5500	,	

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

☐ BLACK BORDERS	
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES	
☐ FADED TEXT OR DRAWING	
\square blurred or illegible text or drawing	
☐ SKEWED/SLANTED IMAGES	
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS	
☐ GRAY SCALE DOCUMENTS	
☐ LINES OR MARKS ON ORIGINAL DOCUMENT	
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QU	JALITY
OTHER:	3.50

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.